-online.com genomics





Human MBP ORF Clone in Mammalian Expression Vector (DYKDDDDK Tag)

Overview	
Quantity:	10 μg
Gene:	MBP
Species:	Human
Fusion tag:	DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PExp)
Product Details	
Purpose:	Expression/transfection ready cDNA ORF clone of Human MBP with C terminal DYKDDDDK tag
	is ideal for express proteins in E.coli & mammalian cells.
Brand:	GenEZ™
Insert Length:	516 bp
Vector Backbone:	pcDNA3.1+C-(K)-DYK
Promoter:	CMV Promoter
Selectable Marker:	Neomycin
Bacterial Resistance:	Ampicillin
Expression Type:	Transient, Stable
Sequence:	ATGGCGTCAC AGAAGAGACC CTCCCAGAGG CACGGATCCA AGTACCTGGC CACAGCAAGT
	ACCATGGACC ATGCCAGGCA TGGCTTCCTC CCAAGGCACA GAGACACGGG CATCCTTGAC
	TCCATCGGGC GCTTCTTTGG CGGTGACAGG GGTGCGCCCA AGCGGGGCTC TGGCAAGGAC
	TCACACCACC CGGCAAGAAC TGCTCACTAC GGCTCCCTGC CCCAGAAGTC ACACGGCCGG
	ACCCAAGATG AAAACCCCGT AGTCCACTTC TTCAAGAACA TTGTGACGCC TCGCACACCA

Product Details

	CCCCCGTCGC AGGGAAAGGG GAGAGGACTG TCCCTGAGCA GATTTAGCTG GGGGGCCGAA
	GGCCAGAGAC CAGGATTTGG CTACGGAGGC AGAGCGTCCG ACTATAAATC GGCTCACAAG
	GGATTCAAGG GAGTCGATGC CCAGGGCACG CTTTCCAAAA TTTTTAAGCT GGGAGGAAGA
	GATAGTCGCT CTGGATCACC CATGGCTAGA CGCTGA
Specificity:	ORF Insert Method: CloneEZ® Seamless cloning technology, recombination-based cloning
	technology
Characteristics:	Gene cDNA ORF clone sequences were retrieved from the NCBI Reference Sequence Database
	(RefSeq). These sequences represent the protein coding region of the gene cDNA ORF which is
	encoded by the open reading frame (ORF) sequence.
Sequencing Primer:	Forward primer: 5'-TAATACGACTCACTATAGGG-3'
	Reverse primer: 5'-CCTCGACTGTGCCTTCTA-3'
Grade:	End-sequenced
Components:	The GenEZ ORF clone is delivered as 10 µg of lyophilized plasmid DNA in a vial.
Target Details	
Gene:	MBP
Alternative Name:	Myelin basic protein (MBP Products)
Background:	The protein encoded by the classic MBP gene is a major constituent of the myelin sheath of
	oligodendrocytes and Schwann cells in the nervous system. However, MBP-related transcripts
	are also present in the bone marrow and the immune system. These mRNAs arise from the
	long MBP gene (otherwise called 'Golli-MBP') that contains 3 additional exons located upstream
	of the classic MBP exons. Alternative splicing from the Golli and the MBP transcription start
	sites gives rise to 2 sets of MBP-related transcripts and gene products. The Golli mRNAs
	contain 3 exons unique to Golli-MBP, spliced in-frame to 1 or more MBP exons. They encode
	hybrid proteins that have N-terminal Golli aa sequence linked to MBP aa sequence. The second
	family of transcripts contain only MBP exons and produce the well characterized myelin basic
	proteins. This complex gene structure is conserved among species suggesting that the MBP
	transcription unit is an integral part of the Golli transcription unit and that this arrangement is
	important for the function and/or regulation of these genes. [provided by RefSeq, Jul 2008].
Gene ID:	4155
NCBI Accession:	NM_001025090

Application Details Restrictions: For Research Use only Handling Lyophilized Format: RT/-20 °C Storage: Storage Comment: • Keep the vial sealed and store at -20°C for long-term storage. • Before use, centrifuge the vial at 6,000 g x g for 1 minute at 4°C. • Open the lid and add 100 µl (or other volume depending on your desired final concentration) of distilled water (or TE buffer) to dissolve the DNA. • If necessary, heat the solution at 50°C for 15 minutes to dissolve the DNA. · Close the lid and vortex the vial for 1 minute. • Aliquot the dissolved plasmid DNA and store in small aliquots at -20°C. Expiry Date: 12 months

Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (

Publications

Product cited in:

1991)