

Datasheet for ABIN5391481

## Human ABCD3 ORF Clone in Lentiviral Vector (GFP tag)

### Overview

Quantity:	10 µg
Gene:	PMP70 (ABCD3)
Species:	Human
Fusion tag:	GFP tag
Insert:	ORF
Vector:	Lentiviral Vector
Application:	Protein Expression (PEXP)

### Product Details

Purpose:	Lentiviral Vector with ORF clone of Human ATP-binding cassette, sub-family D (ALD), member 3 (ABCD3) transcript variant 2, C-term GFP tagged
Brand:	LentiORF
Insert Length:	711 bp
Vector Backbone:	pLenti-C-mGFP
Promoter:	CMV Promoter
Bacterial Resistance:	Chloramphenicol
Expression Type:	Transient
Specificity:	Restriction Site: Sgfl-Mlul
Characteristics:	<p>mGFP tagged, C-terminal</p> <p>Broad cell spectrum: Lentivirus infect most cells, dividing &amp; non-dividing, easy-to-transfect &amp; hard-to-transfect cells.</p> <p>High transduction efficiency</p> <p>Convenience: Minimal need for optimization.</p>

Order at [www.genomics-online.com](http://www.genomics-online.com)

USA & Canada: +1 877 302 8632 | [support@antibodies-online.com](mailto:support@antibodies-online.com)

## Product Details

---

Safety: 3rd generation system with improved biosafety.

---

Components: 10 µg of lyophilized plasmid

---

## Target Details

---

Gene: PMP70 (ABCD3)

---

Abstract: [ABCD3 Products](#)

---

Background: The protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). This protein is a member of the ALD subfamily, which is involved in peroxisomal import of fatty acids and/or fatty acyl-CoAs in the organelle. All known peroxisomal ABC transporters are half transporters which require a partner half transporter molecule to form a functional homodimeric or heterodimeric transporter. This peroxisomal membrane protein likely plays an important role in peroxisome biogenesis. Mutations have been associated with some forms of Zellweger syndrome, a heterogeneous group of peroxisome assembly disorders. Alternative splicing results in multiple transcript variants encoding distinct isoforms.

---

NCBI Accession: [NM\\_001122674](#), [NP\\_001116146](#)

---

## Application Details

---

Application Notes: Ideal For Tracking the over-expressed protein in transfected cells

---

Restrictions: For Research Use only

---

## Handling

---

Format: Lyophilized

---

Storage: 4 °C/-20 °C

---

## Publications

---

Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)

Order at [www.genomics-online.com](http://www.genomics-online.com)

USA & Canada: +1 877 302 8632 | [support@antibodies-online.com](mailto:support@antibodies-online.com)

Page 2/2 | Product datasheet for ABIN5391481 | 01/16/2024 | Copyright antibodies-online. All rights reserved.