

Datasheet for ABIN5410120

## Human XAGE1A ORF Clone in Mammalian Expression Vector (Myc-DYKDDDDK Tag)

### Overview

Quantity:	10 µg
Gene:	XAGE1 (XAGE1A)
Species:	Human
Fusion tag:	Myc-DYKDDDDK Tag
Insert:	ORF
Vector:	Mammalian Expression Vector
Application:	Protein Expression (PEXP)

### Product Details

Purpose:	Mammalian Vector with ORF clone of Human X antigen family, member 1A (XAGE1A) transcript variant d
Brand:	TrueORF
Insert Length:	210 bp
Vector Backbone:	pCMV6-Entry
Promoter:	CMV Promoter
Bacterial Resistance:	Kanamycin
Expression Type:	Transient
Specificity:	Restriction Site: SgfI-MluI
Sequencing Primer:	VP1.5 (forward) 5'GGACTTTCCAAAATGTCTG 3', XL39 (reverse) 5'ATTAGGACAAGGCTGGTGGG 3'
Grade:	End-sequenced
Components:	The ORF clone is ion-exchange column purified, transfection-ready dried plasmid DNA, and

Order at [www.genomics-online.com](http://www.genomics-online.com)

USA & Canada: +1 877 302 8632 | [support@antibodies-online.com](mailto:support@antibodies-online.com)

## Product Details

---

shipped with 2 vector sequencing primers.

## Target Details

---

Gene: XAGE1 (XAGE1A)

Abstract: [XAGE1A Products](#)

Background: This gene is a member of the XAGE subfamily, which belongs to the GAGE family. The GAGE genes are expressed in a variety of tumors and in some fetal and reproductive tissues. This gene is strongly expressed in Ewing's sarcoma, alveolar rhabdomyosarcoma and normal testis. The protein encoded by this gene contains a nuclear localization signal and shares a sequence similarity with other GAGE/PAGE proteins. Because of the expression pattern and the sequence similarity, this protein also belongs to a family of CT (cancer-testis) antigens. Alternative splicing of this gene, in addition to alternative transcription start sites, results in multiple transcript variants.

NCBI Accession: [NM\\_001097593](#), [NP\\_001091062](#)

## Application Details

---

Restrictions: For Research Use only

## Handling

---

Format: Lyophilized

Storage: 4 °C/-20 °C

## Publications

---

Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)