

Datasheet for ABIN3303396

Human OR4K17 cDNA Clone in Mammalian Expression Vector

Overview

| | |
|--------------|-----------------------------|
| Quantity: | 10 µg |
| Gene: | OR4K17 |
| Species: | Human |
| Insert: | cDNA |
| Vector: | Mammalian Expression Vector |
| Application: | Protein Expression (PEXP) |

Product Details

| | |
|-----------------------|--|
| Purpose: | Untagged full-length cDNA clone from Human OR4K17 is ideal for over-expression of native protein for functional studies. |
| Brand: | TrueClones® |
| Vector Backbone: | pCMV6-Entry |
| Promoter: | Enhanced CMV Promoter |
| Selectable Marker: | Neomycin |
| Bacterial Resistance: | Kanamycin |
| Expression Type: | Transient |
| Specificity: | With the native stop codon at the end of the ORF the C-terminal Myc-DDK tag in the vector won't be expressed. |
| Characteristics: | <ul style="list-style-type: none"> • These cDNA clones are isolated from full-length cDNA libraries and usually contain the coding sequence as well as the untranslated regions (UTRs) of the mRNA transcript appropriate to the library from which they were isolated. • These cDNA clones are ideal for over-expression of native proteins for functional studies. Provided as 10 µg transfection-ready plasmids. • Every lot of primer is tested to provide clean sequencing of cDNA clones. |

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Product Details

| | |
|--------------------|--|
| Purification: | The DNAs were purified using PowerPrep HP Plasmid isolation kits for transfection ready plasmids. |
| Sequencing Primer: | VP1.5 (forward) 5'GGACTTCCAAAATGTCC 3', XL39 (reverse) 5'ATTAGGACAAGGCTGGTGGG 3' |
| Components: | <ul style="list-style-type: none">• The cDNA clone is shipped in a 2-D bar-coded Matrix tube as dried plasmid DNA.• The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials. |

Target Details

| | |
|-------------------|---|
| Gene: | OR4K17 |
| Alternative Name: | OR4K17 (OR4K17 Products) |
| Background: | Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008]. |
| NCBI Accession: | NM_001004715 , NP_001004715 |

Application Details

| | |
|---------------|-----------------------|
| Restrictions: | For Research Use only |
|---------------|-----------------------|

Handling

| | |
|------------------|---|
| Format: | Lyophilized |
| Storage: | RT,-20 °C |
| Storage Comment: | The lyophilized plasmid is stable for up to one year when stored at ambient temperature. Following dissolution in 100 µL dH ₂ O, store at -20 °C. Lyophilized primers are stable for up to one year when stored at ambient temperature. Following dissolution in 10 µL dH ₂ O, store at -20 °C. |
| Expiry Date: | 12 months |

Order at www.genomics-online.com

USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Publications

Product cited in: Johnson, Drugan, Miller, Evans: "38" in: , Vol. 1363, Issue Nucleic acids research, pp. 28-39, (1991)